

Growth curve in LB medium. Absorbance was measured every 30 min for 6 h at 600 nm

Time (min)	UPEC 46			UPEC-46:: <i>afpA::fimH</i>		
	A	B	C	A	B	C
0	0.042	0.036	0.03	0.032	0.025	0.035
30	0.091	0.054	0.047	0.05	0.041	0.06
60	0.214	0.15	0.115	0.128	0.105	0.124
90	0.465	0.411	0.304	0.369	0.298	0.378
120	0.625	0.74	0.526	0.612	0.523	0.576
150	0.962	0.995	0.866	0.934	0.852	0.892
180	1.088	1.081	1.044	1.079	1.047	1.067
210	1.181	1.166	1.119	1.172	1.158	1.143
240	1.235	1.226	1.208	1.222	1.223	1.219
270	1.324	1.314	1.306	1.305	1.315	1.299
300	1.371	1.358	1.361	1.368	1.352	1.375
330	1.43	1.425	1.42	1.449	1.423	1.45
360	1.485	1.49	1.495	1.474	1.478	1.476

Note: The assay was repeated three times

Growth curve in DMEM medium. Absorbance was measured every 30 min for 6 h at 600 nm

Time (min)	UPEC 46			UPEC-46:: <i>afpA::fimH</i>		
	A	B	C	A	B	C
0	0.034	0.04	0.031	0.029	0.032	0.037
30	0.042	0.052	0.041	0.052	0.055	0.055
60	0.103	0.109	0.113	0.113	0.076	0.055
90	0.236	0.241	0.254	0.241	0.23	0.187
120	0.399	0.378	0.412	0.399	0.423	0.388
150	0.522	0.488	0.513	0.488	0.509	0.476
180	0.691	0.651	0.699	0.699	0.599	0.651
210	0.882	0.859	0.901	0.859	0.899	0.901
240	1.1	1.007	1.107	1.1	1.102	1.245
270	1.252	1.191	1.267	1.191	1.245	1.3
300	1.372	1.302	1.387	1.387	1.304	1.387
330	1.432	1.418	1.423	1.418	1.456	1.418
360	1.467	1.45	1.466	1.467	1.5	1.478

Note: The assay was repeated three times

Growth curve in RPMI medium. Absorbance was measured every 30 min for 6 h at 600 nm

Time (min)	UPEC 46			UPEC-46:: <i>afpA::fimH</i>		
	A	B	C	A	B	C
0	0.032	0.035	0.034	0.041	0.034	0.028
30	0.053	0.06	0.057	0.066	0.064	0.052
60	0.128	0.131	0.134	0.146	0.151	0.124
90	0.36	0.378	0.312	0.366	0.414	0.32
120	0.532	0.578	0.56	0.575	0.613	0.538
150	0.8	0.892	0.851	0.902	0.906	0.869
180	0.973	1.067	1.072	1.086	1.093	1.063
210	1.073	1.143	1.183	1.192	1.16	1.176
240	1.162	1.234	1.31	1.271	1.242	1.209
270	1.243	1.312	1.357	1.352	1.306	1.301
300	1.282	1.354	1.403	1.4	1.36	1.359
330	1.351	1.423	1.442	1.459	1.402	1.423
360	1.389	1.479	1.467	1.497	1.481	1.451

Note: The assay was repeated three times